

|   | Hits | Search Text   | DBs   |
|---|------|---|---|
| 1 | 642  | central\$5 and (dictionar\$3 or list\$1 or catalog\$1 or categor\$5) and ((unique or distinct or different) near5 (inquir\$3 or quer\$4 or question\$1)) and ((subject\$1 near4 group\$1) or categor\$3) and @ad < "19991118" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 2 | 50   | 12 and (rule\$1 near5 database\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 3 | 29   | 13 and server\$1  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 4 | 3    | 14 and ascii  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 5 | 0    | 15 and (ini\$1 adj file\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 6 | 3    | 15 and registr\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

|   | Hits | Search Text  | DBs   |
|---|------|--|---|
| 7 | 3    | 17 and structure\$1  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 8 | 3    | 18 and (date\$1 or time or<br>size\$1)                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 9 | 3    | (( "6259446" ) or ( "6338149" ) or<br>( "6233545" ) ) .PN. | USPAT   |